



EARLY SEASON HYBRIDS

Hybrid	Ag Selection Index	Expan cc/g	Yield lb/A	Moisture %	Population 1,000/A	Lodge %	RL %	Mushroom %	Hull 1-5	Kernel Count k/10 g
AP2202	99.8	46.2	5328	13.0	27.4	0.8	0.0		3.3	53
AP2202	100.3	47.6	6181	13.5	27.8	0.6	0.0		3.5	50
AP2202	99.8	47.7	5800	13.0	27.9	1.0	0.0		3.0	51
AP2202	97.1	45.0	5521	13.1	28.0	0.9	0.0		3.0	54
AP2202	100.1	46.5	5145	13.7	27.8	0.6	0.0		3.8	55
AP2202	100.2	46.5	5384	13.6	26.8	1.4	0.0		3.2	51
AP2202	99.3	45.8	5637	12.3	27.1	1.4	0.0		3.3	50
AP2202	105.3	43.3	6369	16.7	31.0	0.0	0.0		3.5	53
AP2202	99.3	44.8	6801	14.0	29.9	0.0	0.0		4.0	51
AP2202	111.2	41.8	5937	19.4	32.2				3.0	55

Seven Eastern Location Summary
 Three Eastern Location Summary
 Three Year Data at Romney, IN (2014, 2016, 2017)
 Two Year Data at Romney, IN (2016, 2017)
 Two Year Data at Flat Rock, IN (2016, 2017)
 Three Year Data at Topeka, IL (2014, 2016, 2017)
 Two Year Data at Topeka, IL (2016, 2017)
 Two Western Location Summary
 One Year Data at Homer, NE (2017)
 One Year Data at Grant, NE (2017)

Hybrid	Ag Selection Index	Expan cc/g	Yield lb/A	Moisture %	Population 1,000/A	Lodge %	RL %	Mushroom %	Hull 1-5	Kernel Count k/10 g
AP2204	99.7	45.2	5545	13.7	26.3	0.1	0.0		3.0	52
AP2204	100.3	44.6	5658	13.7	26.4	0.0	0.0		3.0	51
AP2204	100.9	45.2	6259	14.2	27.0	0.0	0.0		3.0	48
AP2204	100.7	46.1	6162	14.2	28.0	0.0	0.0		3.0	51
AP2204	97.5	44.3	5941	14.4	28.0	0.0	0.0		3.0	53
AP2204	102.6	45.9	5890	13.7	26.7	0.0	0.0		3.0	51
AP2204	103.0	44.5	5788	14.2	27.3	0.0	0.0		3.0	51
AP2204	100.2	45.3	5583	14.5	26.4	1.4	0.0		3.0	51
AP2204	98.3	44.6	5682	12.9	25.9	0.0	0.0		3.0	50
AP2204	94.3	42.6	5348	17.1	31.2	0.0	0.0		3.3	55
AP2204	94.2	44.0	6272	14.5	29.9	0.0	0.0		3.5	53
AP2204	94.5	41.3	4425	19.6	32.5				3.0	57

Nine Eastern Location Summary
 Seven Eastern Location Summary
 Three Eastern Location Summary
 Three Year Data at Romney, IN (2014, 2016, 2017)
 Two Year Data at Romney, IN (2016, 2017)
 Three Year Data at Flat Rock, IN (2015, 2016, 2017)
 Two Year Data at Flat Rock, IN (2016, 2017)
 Three Year Data at Topeka, IL (2014, 2016, 2017)
 Two Year Data at Topeka, IL (2016, 2017)
 Two Western Location Summary
 One Year Data at Homer, NE (2017)
 One Year Data at Grant, NE (2017)

Hybrid	Ag Selection Index	Expan cc/g	Yield lb/A	Moisture %	Population 1,000/A	Lodge %	RL %	Mushroom %	Hull 1-5	Kernel Count k/10 g
AP2501	102.8	44.9	6039	14.5	27.6	1.3	1.1		2.9	57
AP2501	103.9	44.4	6243	14.6	28.1	0.9	0.0		2.9	57
AP2501	102.4	43.9	7333	15.4	28.9	1.6	0.0		2.8	54
AP2501	102.9	45.4	6540	15.1	28.5	1.2	0.4		2.8	56
AP2501	104.7	44.3	6241	15.1	28.9	1.8	0.0		3.0	60
AP2501	104.6	45.4	6279	14.2	27.1	0.2	3.4		3.0	57
AP2501	107.3	44.4	6410	14.7	28.1	0.3	0.0		3.0	57
AP2501	99.9	44.8	5947	16.6	28.2	0.7	0.0		3.0	56
AP2501	100.2	43.6	6505	14.1	28.5	1.1	0.0		3.0	55

Nine Eastern Location Summary
 Seven Eastern Location Summary
 Three Eastern Location Summary
 Three Year Data at Romney, IN (2014, 2016, 2017)
 Two Year Data at Romney, IN (2016, 2017)
 Three Year Data at Flat Rock, IN (2015, 2016, 2017)
 Two Year Data at Flat Rock, IN (2016, 2017)
 Three Year Data at Topeka, IL (2014, 2016, 2017)
 Two Year Data at Topeka, IL (2016, 2017)

Hybrid	Ag Selection Index	Expan cc/g	Yield lb/A	Moisture %	Population 1,000/A	Lodge %	RL %	Mushroom %	Hull 1-5	Kernel Count k/10 g
AP2504	103.0	46.5	5792	14.5	26.8	0.9	0.4		3.1	56
AP2504	103.0	46.1	5848	14.5	27.3	0.8	0.2		3.1	55
AP2504	102.2	47.0	6820	15.8	28.3	0.2	0.0		3.0	52
AP2504	105.0	48.4	6296	15.0	27.9	0.4	0.0		3.0	56
AP2504	107.6	46.8	5868	15.4	27.9	0.6	0.0		3.0	58
AP2504	102.4	46.8	5830	14.6	26.4	0.9	0.9		3.3	56
AP2504	103.6	45.9	5818	14.6	27.6	1.3	0.0		3.5	56
AP2504	100.3	45.9	5750	15.1	27.4	0.5	0.4		2.8	56
AP2504	100.9	44.8	6361	13.9	27.8	0.4	0.6		3.0	53
AP2504	89.3	43.5	4538	17.5	31.2	5.6	0.0		3.0	57
AP2504	90.2	47.0	4961	14.9	29.9	5.6	0.0		3.0	56
AP2504	88.5	40.0	4116	20.2	32.5				3.0	58

Nine Eastern Location Summary
 Seven Eastern Location Summary
 Three Eastern Location Summary
 Three Year Data at Romney, IN (2014, 2016, 2017)
 Two Year Data at Romney, IN (2016, 2017)
 Three Year Data at Flat Rock, IN (2015, 2016, 2017)
 Two Year Data at Flat Rock, IN (2016, 2017)
 Three Year Data at Topeka, IL (2014, 2016, 2017)
 Two Year Data at Topeka, IL (2016, 2017)
 Two Western Location Summary
 One Year Data at Homer, NE (2017)
 One Year Data at Grant, NE (2017)

Hybrid	Ag Selection Index	Expan cc/g	Yield lb/A	Moisture %	Population 1,000/A	Lodge %	RL %	Mushroom %	Hull 1-5	Kernel Count k/10 g
AP2505	102.3	42.8	6381	14.5	27.0	0.6	0.4		3.4	50
AP2505	101.6	41.8	6460	14.6	27.3	0.4	0.0		3.5	49
AP2505	102.9	40.8	7799	15.7	27.8	0.0	0.0		3.0	47
AP2505	102.7	43.0	6932	15.6	28.2	0.4	0.0		3.7	50
AP2505	101.0	42.5	6645	15.3	28.4	0.0	0.0		4.0	52
AP2505	103.2	44.3	6419	14.8	26.6	0.9	1.3		3.3	50
AP2505	103.0	42.4	6395	15.1	27.7	0.3	0.0		3.5	48
AP2505	104.7	42.3	6795	15.9	27.7	0.7	0.0		3.2	51
AP2505	100.8	40.6	6961	13.7	27.3	1.0	0.0		3.3	49
AP2505	98.6	41.8	6018	17.3	30.6	1.7	0.0		3.5	57
AP2505	95.0	41.5	6998	15.2	29.9	1.7	0.0		3.5	53
AP2505	102.3	42.0	5037	19.4	31.4				3.5	61

Nine Eastern Location Summary
 Seven Eastern Location Summary
 Three Eastern Location Summary
 Three Year Data at Romney, IN (2014, 2016, 2017)
 Two Year Data at Romney, IN (2016, 2017)
 Three Year Data at Flat Rock, IN (2015, 2016, 2017)
 Two Year Data at Flat Rock, IN (2016, 2017)
 Three Year Data at Topeka, IL (2014, 2016, 2017)
 Two Year Data at Topeka, IL (2016, 2017)
 Two Western Location Summary
 One Year Data at Homer, NE (2017)
 One Year Data at Grant, NE (2017)

Hybrid	Ag Selection Index	Expan cc/g	Yield lb/A	Moisture %	Population 1,000/A	Lodge %	RL %	Mushroom %	Hull 1-5	Kernel Count k/10 g
AP2506	98.9	45.7	5430	14.1	26.8	2.0	1.7		2.5	46
AP2506	99.9	45.1	5612	14.1	27.0	2.1	0.1		2.4	45
AP2506	98.2	44.6	6647	14.8	28.7	1.7	0.2		2.3	41
AP2506	99.7	47.0	5894	14.7	27.6	1.7	0.0		2.3	44
AP2506	99.0	45.0	5564	15.0	27.5	2.5	0.0		2.5	46
AP2506	98.4	45.6	5533	14.0	26.8	1.6	5.0		2.5	47
AP2506	100.8	44.5	5676	14.3	27.5	1.4	0.3		2.3	48
AP2506	103.7	45.5	6088	14.5	28.0	0.5	0.0		2.2	44
AP2506	99.7	45.0	6043	13.2	27.9	0.4	0.0		2.3	43
AP2506	101.8	45.1	5734	19.2	30.9	0.0	0.0		2.5	49
AP2506	104.5	46.0	7231	14.7	29.9	0.0	0.0		2.0	44
AP2506	99.1	44.3	4237	23.6	31.9				3.0	54

Nine Eastern Location Summary
 Seven Eastern Location Summary
 Three Eastern Location Summary
 Three Year Data at Romney, IN (2014, 2016, 2017)
 Two Year Data at Romney, IN (2016, 2017)
 Three Year Data at Flat Rock, IN (2015, 2016, 2017)
 Two Year Data at Flat Rock, IN (2016, 2017)
 Three Year Data at Topeka, IL (2014, 2016, 2017)
 Two Year Data at Topeka, IL (2016, 2017)
 Two Western Location Summary
 One Year Data at Homer, NE (2017)
 One Year Data at Grant, NE (2017)

Hybrid	Ag Selection Index	Expan cc/g	Yield lb/A	Moisture %	Population 1,000/A	Lodge %	RL %	Mushroom %	Hull 1-5	Kernel Count k/10 g
AP2507	106.9	46.3	6156	14.4	27.9	0.5	0.1		2.7	55
AP2507	107.0	45.8	6192	14.4	28.4	0.5	0.0		2.6	54
AP2507	105.0	46.1	7173	15.5	29.6	0.6	0.0		2.3	49
AP2507	106.9	47.2	6794	15.6	28.7	0.6	0.0		2.8	52
AP2507	103.7	45.5	6177	15.4	29.1	0.8	0.0		3.0	59
AP2507	107.2	47.3	6172	14.3	26.9	0.7	0.4		2.8	55
AP2507	108.0	46.1	6023	14.6	27.8	0.3	0.0		2.8	55
AP2507	105.0	45.5	6133	15.9	29.1	1.0	0.0		2.5	53
AP2507	104.6	44.1	6597	13.7	29.6	0.6	0.0		2.5	52
AP2507	101.2	43.4	5958	17.7	30.7	0.0	0.0		2.8	55
AP2507	100.5	45.5	6794	14.9	29.9	0.0	0.0		3.0	52
AP2507	101.9	41.3	5143	20.4	31.6				2.5	58

Nine Eastern Location Summary
 Seven Eastern Location Summary
 Three Eastern Location Summary
 Three Year Data at Romney, IN (2014, 2016, 2017)
 Two Year Data at Romney, IN (2016, 2017)
 Three Year Data at Flat Rock, IN (2015, 2016, 2017)
 Two Year Data at Flat Rock, IN (2016, 2017)
 Three Year Data at Topeka, IL (2014, 2016, 2017)
 Two Year Data at Topeka, IL (2016, 2017)
 Two Western Location Summary
 One Year Data at Homer, NE (2017)
 One Year Data at Grant, NE (2017)

Hybrid	Ag Selection Index	Expan cc/g	Yield lb/A	Moisture %	Population 1,000/A	Lodge %	RL %	Mushroom %	Hull 1-5	Kernel Count k/10 g
AP2508	108.7	48.5	5923	14.1	27.6	0.5	0.2		2.9	56
AP2508	109.4	48.1	6002	14.1	28.0	0.3	0.0		2.9	56
AP2508	107.9	48.8	7178	14.7	29.2	0.0	0.0		3.0	51
AP2508	106.5	47.8	5941	14.0	28.3	0.0	0.0		3.0	59
AP2508	114.1	47.9	6210	15.0	27.6	0.0	0.0		3.0	56
AP2508	107.0	47.6	6258	13.6	29.5	1.1	0.0		2.8	54
AP2508	104.3	46.9	5583	18.0	30.1	0.0	0.0		2.5	58
AP2508	104.4	47.3	6900	15.1	29.9	0.0	0.0		2.0	50
AP2508	104.1	46.5	4265	21.0	30.4				3.0	66

Nine Eastern Location Summary
 Seven Eastern Location Summary
 Three Eastern Location Summary
 Two Year Data at Romney, IN (2016, 2017)
 Two Year Data at Flat Rock, IN (2016, 2017)
 Two Year Data at Topeka, IL (2016, 2017)
 Two Western Location Summary
 One Year Data at Homer, NE (2017)
 One Year Data at Grant, NE (2017)

This data is from trials conducted by the Ag Alumni Seed Research Group.

For additional information on hybrid popcorn performance in your area or for hybrid recommendations, please contact us directly.